

auuu

## SEQUENCE LISTING

10 TO	DEMARK SEQUENCE LISTING	
<110>	Daly, John Michael	
<120>	Constructs for Gene Expression Analysis	
<130>	12177722	
<140>	Unassigned	
<141>		
<150> <151>	USSN 60/274770 2001-03-09	
(1517	2001 03 03	
	PCT/AU02/00351	
<151>	2001-03-08	
<160>	57	
100	Patront Transport and O. O.	
<170>	PatentIn version 3.2	
<210>	1	
<211>	9	
<212>		
<213>	mammalian	
<400>	1	
uuauuu	auu	9
<210>	2	
<211>	9	
<212>		
<213>	mammalian	
<400>	2	
uuauuu	aww	9
<210>	3	
<211>	5	
<212>	RNA	
<213>	mammalian	
<400>	3	
auuua		5
<210>	4	
<211>	4	
<212>	RNA	
<213>	mammalian	
<400>	4	

<210>	5	
<211>	13	
<212>	RNA	
<213>	Artificial Sequence	
<220>		
<223>	AUUUAx3 Version 1	
<400>	5	
auuuau	uuau uua	13
<210>	6	
<211>	15	
<212>		
<213>	Artificial Sequence	
<220>		
<223>	AUUUAx3 Version 2	
<400>	6	
auuuaa	uuua auuua	15
<210>		
<211>		
<212>		
<213>	Artificial Sequence	
<220>		
<223>	HindIII site	
	•	
<400>	7	
aagctt		6
<210>		
	129	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Clontech's d1 mutant of MODC	
<400>	8	
aagctta	agec atggetteee geeggeggtg geggegeagg atgatggeae getgeeeatg	60
tcttgtg	gccc aggagagcgg gatggaccgt caccctgcag cctgtgcttc tgctaggatc	120
aatgtgt	tag	129
<210>	9	
<211>	56	
	RNA	
<213>	Artificial Sequence	

```
<220>
<223> RNA destabilising linker
<400> 9
uuauuuauug gcgguuauuu auucggcguu auuuauugcg cguuauuuau uacuag
                                                                     56
<210> 10
<211> 11
<212> DNA
<213> Artificial Sequence
<220>
<223> EclHK1 recognition sequence
<220>
<221> misc feature
<222> (1)..(8)
<223> n = any nucleotide
<400> 10
gacnnnnngt c
                                                                     11
<210> 11
<211> 11
<212> DNA
<213> Artificial Sequence
<220>
<223> EclHK1 recognition sequence Example 1
<220>
<221> misc_feature
<222> (4)..(5)
<223> n = any nucleotide
<220>
<221> misc_feature
<222>
      (7)..(8)
<223> n = any nucleotide
<400> 11
gacnntnngt c
                                                                     11
<210> 12
<211>
      11
<212> DNA
<213> Artificial Sequence
<220>
<223> EclHK1 recognition sequence Example 2
```

<222>	(4).	_feature .(5) any nucleot	zide	·			
<222>	(7).	_feature .(8) any nucleot	cide				
<400> gacnnaı	12 nngt	С					11
<210><211><212><212><213>	9 DNA	alian					
<400> ttattta	13 att						9
<210><211><211><212><213>	75 DNA	alian					
<400> aaaacgt	14 tttt	attgtgtttt	taatttattt	attaagatgg	attctcagat	atttatattt	60
ttattt	tatt	tttt					75
<210><211><212><213>	DNA	alian					
<400>	15					•	
atgcate	gatc	aaatgcaacc	tcacaacctt	ggctgagtct	tgagactgaa	agatttagcc	60
ataatgt	taaa	ctgcctcaaa	ttggactttg	ggcataaaag	aacttttta	tgcttaccat	120
cttttt	tttt	tctttaacag	atttgtattt	aagaattgtt	tttaaaaaat	tttaagattt	180
acacaat	tgtt	tctctgtaaa	tattgccatt	aaatgtaaat	aacttt		226
<210><211><211><212><213>	16 73 DNA mamm	alian					
<400> gtatgtt	16 ctaa	attatttta	tacactgccc	tttcttacct	ttctttacat	aattgaaata	60

ggtatc	ctga	cca					73
<210>	17						
<211>	53						
<212>	RNA						
<213>	mamn	nalian					
<400>	17						
aguaau	auuu	auauauuuau	auuuuuaaaa	uauuuauuua	uuuauuuauu	uaa	53
<210>	18						
<211>	53						
<212>	DNA						
<213>		nalian					
<400>	18						
aqtaata	attt	atatatttat	atttttaaaa	tatttattta	tttatttatt	taa	53
							33
<210>	19						
	73						
<212>							
<213>	mamn	nalian					
<400>			•				
aacgtti	tat	tgtgttttta	atttatttat	taagatggat	tctcagatat	ttatattttt	60
attttat	ttt	ttt					73
					,		
<210>	20			•			
<211>	70	•					
	DNA						
<213>	mamn	nalian					
<400>	20						
ttttatt	gtg	tttttaattt	atttattaag	atggattctc	agatatttat	attttattt	60
tatttt	ttt						70
<210>	21						
<211>							
<212>							
<213>	mamm	nalian					
<400>	21	110110110110110	<b>401101101101</b>	111111111111111111111111111111111111111			
uuucgut	iaac	uguguaugua	cauauauaua	uuuuuuaauu	ugauuaaagc	ugauuacugu	60
gaauaaa	acag	cuucaugccu	uuguaaguu				89
<210>	22						
<211>	89						
<b>\Z11&gt;</b>	0,						

<213>	mammalian					
<400>	22					
tttcgt	taac tgtgtatgta	a catatatata	ttttttaatt	tgattaaagc	tgattactgt	60
gaataa	acag cttcatgcc	ttgtaagtt				89
<210>						
<211> <212>						
	mammalian					
<400>	23					_
aauaaa					•	6
<210>	24					
<211> <212>	89					
	Artificial Sec	nience				
12137	THE CARACTER DO	1401100				
<220>						
<223>	Mutant of Peng	g c-jun ARE				
<400>	24					
uuucgu	laac uguguaugu	a cauauauaua	uuuuuaauu	ugauuaaagc	ugauuacugu	60
~~~						
ggaucca	acag cuucaugcci	ı uuguaaguu				89
<210>	25					
<211><212>	89 DNA					
	Artificial Sec	nuence				
		1				
<220>		_				
<223>	DNA encoding r	nutant of Per	ng c-jun ARI	3		
<400>	25					
	aac tgtgtatgta	a catatatata	ttttttaatt	tgattaaagc	tgattactgt	60
~~~+~~						
ggateea	acag cttcatgcc	ttgtaagtt				89
<210>	26					
<211>	36					
<212> <213>	RNA mammalian					
\213/	maninarran					
<400>	26					
ucuauuı	auu aauauuuaad	auuauuuaua	uauggg			36
<210>	27					
<211>	36			•		
<212>	DNA					

<213>	mamm	alian					
<400>	27		•				
	tatt	aatatttaac	attatttata	tatggg			36
<210>	28						
<211>							
<212>							
<213>	mamm	alian					
<400>							<b>60</b>
Cucuau	uuau	uuaaauauuu	aacuuuaauu	uauuuuugga	uguauuguuu	acuaacuuuu	60
agugcui	uccc a	acuuaaaaca	uaucaggcuu	cuauuuauuu	aaauauuuaa	auuuuauauu	120
5 5			23				
uauu							124
<210>	29						
<211>	_						
<212>							
<213>	mamma	alian					
<400>				<b></b>	<b></b>		
CLCLati	llat	ttaaatattt	aactttaatt	tatttttgga	tgtattgttt	actaactttt	60
agtgctt	tccc a	acttaaaaca	tatcaggctt	ctatttattt	aaatatttaa	attttatatt	120
tatt							124
<210>	30						
<211>				•			
<212>	RNA						
<213>	mamma	alian					
-100-	2.0						
<400>	30 Cua a	a	uuuaaguaca		2220111		46
uuuuuu	couu (	auuuuuuu	uuuuuguucu	addugedddd	aaaguu		40
<210>	31						
<211>							
<212> <213>		alian					
<213>	mannin	allan					
<400>	31						
ataaaco	ccta a	atttttttta	tttaagtaca	ttttgctttt	aaagtt		46
			•				
<210>	32						
<210> <211>							
<212>							
<213>		alian					
<400>							
uagaaua	auuu a	auuaccucug	auaccucaac	ccccauuucu	auuuauuuac	ugagcuucuc	60

ugugaad	cgau	uuagaaagaa	gcccaauauu	auaauuuuuu	ucaauauuua	uuauuuuca	119
<210><211><211><212><213>		nalian					
<400>	33						
tagaata	attt	attacctctg	atacctcaac	ccccatttct	atttatttac	tgagcttctc	60
tgtgaad	gat	ttagaaagaa	gcccaatatt	ataattttt	tcaatattta	ttattttca	119
<210><211><211><212><213>		nalian					
	34						
ucagcua	auuu	acugccaaag	ggaaauauca	uuuauuuuu	acauuauuaa	gaaaaaagau	60
uuauuua	auuu	aagacagucc	caucaaaacu	ccgucuuugg	aaauc		105
<210><211><212><212><213>		nalian					
<400>	35						
tcagcta	attt	actgccaaag	ggaaatatca	tttattttt	acattattaa	gaaaaaagat	60
ttattta	attt	aagacagtcc	catcaaaact	ccgtctttgg	aaatc		105
<210><211><211><212><213>	36 34 RNA mamm	nalian		·			
<400>	36						
auuauuı	ıauu	auuuauuuau	uauuuauuua	uuua			34
<210><211><211><212><213>		nailan					
<400> attattt	37 att	atttatttat	tatttattta	ttta	•		34
<210> <211>							

```
<212> RNA
<213> mammalian
<400> 38
uauuuuauuc cauuaaggcu auuuauuuau guauuuaugu auuuauuuau uuauu
                                                                     55
<210> 39
<211> 55
<212> DNA
<213> mammalian
<400> 39
tattttattc cattaaggct atttatttat gtatttatgt atttatttat ttatt
                                                                    55
<210> 40
<211> 9
<212> DNA
<213> mammalian
<400> 40
ttatttaww
                                                                      9
<210> 41
<211> 5
<212> DNA
<213> mammalian
<400> 41
attta
                                                                     5
<210> 42
<211>
<212> DNA
<213> mammalian
<400> 42
attt
                                                                     4
<210> 43
<211> 25
<212> DNA
<213> Artificial Sequence
<220>
<223> Consensus DST sequence
<220>
<221> misc_feature
<222> (5)..(5)
<223> n = from 2-9 nucleotides, wherein each individual nucleotide can
      be any nucleotide
```

```
<220>
<221> misc_feature
<222> (15)..(15)
<223> n = from 3-8 nucleotides, wherein each individual nucleotide can
       be any nucleotide
<400> 43
ggagncatag attanmwwtt tgtay
                                                                      25
<210> 44
<211> 25
<212> DNA
<213> Soybean
<220>
<221> misc feature
<222> (5)..(5)
<223> n = 5 nucleotides , wherein each individual nucleotide can be any
       nucleotide
<220>
<221> misc feature
<222> (15)..(15)
<223> n =8 nucleotides , wherein each individual nucleotide can be any
       nucleotide
<400> 44
ggagncatag attanaaatt tgtac
                                                                      25
<210> 45
<211> 25
<212> DNA
<213> Arabidopsis
<220>
<221> misc_feature
<222> (5)..(5)
<223> n = 9 nucleotides , wherein each individual nucleotide can be any
      nucleotide
<220>
<221> misc feature
<222> (15)..(15)
<223> n = 8 nucleotides , wherein each individual nucleotide can be any
      nucleotide
<400> 45
ggaancatag atcgncaatg cgtat
                                                                     25
<210> 46
<211> 30
```

```
<212> RNA
<213> mammalian
<400> 46
quucuugcuu caacaguguu ugaacggaac
                                                                     30
<210> 47
<211> 30
<212> DNA
<213> mammalian
<400> 47
gttcttgctt caacagtgtt tgaacggaac
                                                                     30
<210> 48
<211> 29
<212> RNA
<213> mammalian
<400> 48
gauuaucggg agcagugucu uccauaauc
                                                                     29
<210> 49
<211> 29
<212> DNA
<213> mammalian
<400> 49
gattatcggg agcagtgtct tccataatc
                                                                     29
<210> 50
<211> 226
<212> DNA
<213> mammalian
<400> 50
atgcatgate aaatgcaace teacaacett ggetgagtet tgagaetgaa agatttagee
                                                                     60
ataatgtaaa ctgcctcaaa ttggactttg ggcataaaag aacttttta tgcttaccat
                                                                    120
ctttttttt tctttaacag atttgtattt aagaattgtt tttaaaaaat tttaagattt
                                                                    180
acacaatgtt tctctgtaaa tattgccatt aaatgtaaat aacttt
                                                                    226
<210> 51
<211>
      30
<212> RNA
<213> mammalian
<220>
<221> misc_feature
```

```
<222> (4)..(4)
<223> n = from 20-40 nucleotides, wherein individual nucleotides are
       selected from any nucleotide
<220>
<221> misc_feature
<222>
      (19)..(19)
<223> n is a, c, g, or u
<400> 51
uganccaaag gyyyuuyuna rrrccaccca
                                                                      30
<210> 52
<211> 30
<212> DNA
<213> mammalian
<220>
<221> misc_feature
<222>
      (4)..(4)
<223> n = from 20-40 nucleotides, wherein individual nucleotides are
       selected from any nucleotide
<220>
<221> misc_feature
<222>
      (19)..(19)
<223> n is a, c, g, or t
<400> 52
tganccaaag gyyyttytna rrrccaccca
                                                                     30
<210> 53
<211> 16
<212> RNA
<213> mammalian
<220>
<221> misc_feature
<222>
      (5)..(5)
<223> n = any number of nucleotides, wherein individual nucleotides are
       selected from any nucleotide
<220>
<221> misc_feature
<222>
      (11)..(11)
<223> n = any number of nucleotides, wherein individual nucleotides are
       selected from pyrimidines
<400>
      53
yccancccwy yucycc
                                                                     16
```

12

<210> 54

<b>\Z11</b> /	10				
<212>	DNA				
<213>	mammalian				
<400>	54				
cctcct	gccc gctgggcctc	ccaacgggcc	ctcctccct	ccttgc	46
				•	
<210>	55				
<211>	5				
<212>	DNA	•			
<213>	mammalian				
<400>	55				
cctcc					5
<210>	56				
<211>	9				
<212>					
<213>	mammalian				
<400>					
cctcct	gcc				9
<210>					
	14				
<212>					
<213>	mammalian				
		•		•	
<400>	57				
ccctcc	ccc ctgg				14